vi editor commands

3 modes of vi

command mode

you can navigate the file and use the commands on this sheet

insert mode

you insert text into the file and can move around (using the arrows) in the file if you are using vim. You exit insert mode by pressing the **ESC key.**

special command mode

Allows you to enter special commands. While in command mode, press :

enter insert mode commands

- i insert before cursor
- o lower-case oh opens a new line (below)
- O upper-case oh opens a new line (above)
- a append (insert after cursor)
- A append at end of line

saving, exiting

- :w write contents to disk
- :wq write contents and quit
- ZZ write contents and quit
- :q quit
- :q! quit and don't save changes

searching

- /foo search forward for "foo" ?foo search backwards for "foo"
- n repeat last search

delete (and place in buffer)

- x delete current character
- 10x delete 10 characters
- dd delete current line
- 6dd delete 6 lines
- d0 delete to beginning of line
- d\$ delete to end of line
- dw delete word
- 3dw delete 3 words

copy (and place in buffer)

yy yank (copy)

5yy yank 5 lines

pasting

- p lower-case pee pastes after cursor
- P upper-case pee pastes before cursor

using other paste buffers

- "a7dw delete 7 words and place in buffer a
- "b5dd delete 5 lines and place in buffer b
- "ap paste contents of buffer a
- "bp paste contents of buffer b

navigation

- ↑ move up one line
- 5个 move up 5 lines
- ↓ move down 1 line
- 6↓ move down 6 lines
- 1G go to line 1
- 10 go to line 1
- 15G go to line 15G go to last line
- H go to top of screen (high)
- L go to bottom of screen (low)
- w go to next word
- 7w move over 7 words
- b back one word
- 0 go to beginning of line
- \$ go to end of line

special command mode

- r foo read file foo into this file after cursor
- :!command execute the specified unix command
 - and return to vi
- :r !command execute the specified unix command
 - and read the results into this file after
 - the cursor
- :10,20d delete lines 10-20
- :1,\$s/alpha/beta/g from the first line to the last
 - line, change all occurrences of alpha
 - to beta.
- :5,10> indent lines 5 through 10
- :20,30< de-indent lines 10 through 20

miscellaneous editing commands

- u undo
- repeat last command
- J join two lines
- 5>> indent 5 lines 1 tab
- 2<< de-indent 2 lines 1 tab
- >% with cursor on a brace, indent bracketed block
 - of lines
- <% de-indent bracketed block of lines

.vimrc file

- :set ai sw=4
- :set number
- :set expandtab
- :set softtabstop=4
- :set smartindent